Eggleston R: Let Other Departments Share the Work (points of view), 222
Engel J: A Study and a Written Plan as Management Tools, 291
Fadale V: see Ziecheck HD
Feely WJ, Saucier JE Jr: Selecting Respiratory Therapy Personnel, 168
Felkner D: A Protocol for Teaching and Maintaining Arterial Puncture Skills Among Respiratory Therapists, 700
Gandevia B: Changing Asthma Mortality in Australia (letter), 24
Gardiner WR: Disconnect-Alarm Modification of Bennett MA-1 Respirator, 167
Gardiner WR: Mounting Bracket for Biomarine 202R Oxygen Analyzer, 54
Glick RM: see Dombach JS
Gomez L: see Pincus S
Goodpasture J: A Respiratory Therapy Record System, 48
Greene JBR: Health Agencies Should Read It (letter), 20
Gulde RE: see Deitch JG
Hall DR: Competence is the Best Qualification (letter), 656
Hall DR: Who Is "Unqualified?" (letter), 528
Hampp DW: Stick to the Essentials (letter), 260
Hansen KT: A Supportive Flange for the Nelson Tracheostomy Button, 177
Harris TM, Richards WJ, Accurso J: Effect of Line Voltage Changes on Cycling Rate of Emerson 3-PV Ventilators, 690
Harrison RA: see Shapiro BA
Helmholz HF: JRCITE Affairs, 590
Herbert WJ III, Slattery LT: Short-Circuit Hazard in Bennett MA-1 Ventilators, 173
Herrera N: see Campbell RL
Hill WJ: see Radford R
Hinds RD: see Weilacher RR
Hunt WB Jr: see Bageant RA
Hursey FX: Solving Heater-Switch Malfunction in Bennett Cascade Humidifiers, 59
Jandowski R: Toys—Another Oxygen Fire Hazard (letter), 22
Jones G: New Device to Secure Endotracheal Tubes, 171
Kay E: Relationships with Cystic Fibrosis Patients, 84
Kelsen SG, Weiner S: Determining Alveolar Oxygen Tension (letter), 658
Kielar S: Move Up to Group III (points of view), 105
King JG: Air For Living, 160
Kittredge P: A Faculty for work (editorial), 650
Kittredge P: IPPB—The Pressure is Building (editorial), 644
Kosmatka A: see Luedke J
Lagerson J: The Bed and the Breath, 190
Lagerson J: Better Breathing for All, 72
Lagerson J: The Cough: Its Effectiveness Depends on You, 434
Lakshminarayan S: see Petty TL
Landsberg LS: see Raman TK
Lee H, Andree RA: Malfunction of a Tracheoflex Tracheostomy Tube, 562
Lehmus JA: Automatic Fluid-level Modification for **bird** 500-cc Nebulizer, 55
Livingston JP: Compilation of Contract Service Companies List (letter), 143
Livingston JP: FDA Cylinder Procedures (letter), 656
London TR: **bird** Respirator Modification for Positive End Expiratory Pressure, 179
Luedke J, Kosmatka A: A New Method of Weaning from Respirator Support, 561
MacDonald DW: Responsibility Not Transferable (letter), 654
McCormack RJ: see Donn R
Marino P: see Marro J
Marro J, Marino P: Near Drowning Treated with PEEP: A Case Report, 706
Metzerott KO: see Zwagil LW
Miller WT: An Introduction to Chest Radiology, 304
Miller WT: Specialized Radiographic Examinations, 452
Miller WT: X-Rayted Case Report #1, 588

Miller WT: X-Rayted Case Report#2, 720
Motley HL: Helium-Oxygen Therapy (Answering Service), 668
Mullen AF: Mr Mullen Replies (letter), 24
Nelson E: 1972 Mead Johnson Fellowship Winners (letter), 26
Nett LM: see Petty TL
Niswander M: Oxygen Analyzer Mount for Incubators (letter), 536
Nurick H: see Ziecheck HD
Olson BL: No More Poems, Please (letter), 662
Osler W: Scientific Method (points of view), 223
Petty T: Alphabet Soup (editorial), 10
Petty TL, Carpenter V, Nett LM: A Simple Compressed Gas System for Ambulatory Oxygen, 281
Petty TL, Nett LM, Lakshminarayan S: A Single Nasal Prong for Continuous Oxygen Therapy, 421
Pierce AK: Oxygen Toxicity, 612
Pierson DJ: Respiratory Stimulants: Review of the Literature and Assessment of Current Status, 549
Pincus S, Gomez L, Arensman D: Oxygen Electrode Safety Retainer for Mechanical Ventilators, 708
Porter PA: Evaluation of a Disposable Volume Ventilator Circuit, 165
Pulliam JM: Modifying the Monaghan 701 "On Guard" Monitor for PEEP, 564
Pumphrey D: see Altman P
Radford R, Billingsley JG, Willich W, Hill WJ: Mucociliary Transport in the Isolated Trachea, 541
Raman TK, Landsberg LS: Management of the Adult Respiratory Distress Syndrome in a Community Hospital, 697
Rawlinson JW: Michigan Airway (letter), 22
Rich GT: A New Combination Resuscitator-CPPB Device, 277
Rich GT: Deadspace and A-E CO_2 Gradients (letter), 390
Richards WJ: see Harris TM
Roberts RB: Throwing the Baby Out with the Bathwater? (editorial), 248
Rogers E: Deadspace Role in End-Tidal CO_2 Monitoring (letter), 25
Rogers E: Effects of the "Measuror" Upon the "Measuree" (letter), 394
Ryan JF: A Whistle Communication Device for Immobilized Mute Patients, 424
Said SI: The Lung in Relation to Hormones, 722
Saklad M: see Demers RR
Sanders OJ: see Williams TJ
Saposnick AB: What Is Professionalism? (points of view), 222
Saposnick A: see Toben B
Saucier JE Jr: see Feely WJ
Scanlan C, Clark DW: Keeping the Dump Dry (letter), 26
Scott BJ, DeWitt M: A Life-Saving Mission for the Attache Case, 57
Segal MS: Rehabilitation for Patients with Disabling Chronic Pulmonary Diseases (General Principles), 269
Shapiro BA, Harrison RA, Trout CA: Case Study: Postoperative Ventilatory Failure, 570
Sheely RB: Criticism of Blood Gas Interpretation Article (letter), 396
Slattery LT: see Herbert WJ III
Sluman R: CPR Instructors for the Community (letter), 143
Smith W: see Barach AL
Spearman CB: A Quiz on Oxygen Percentage Controlling Devices, 262
Spearman CB: A Quiz on Volume Ventilators, 584
Spearman CB: Control of Inspired Oxygen Concentration and Addition of PEEP or CPAP with the Bourns Pediatric Ventilator, 405
Staub NC: Pulmonary Structure as Related to Its Function, 346
Thomas LS: Another Unit Dose System (letter), 660
Toben BP: Accidental Pulmonary Lavage: A Case Report, 175
Toben BP, Saposnick A: Toben & Saposnick Grant Reprint Permission (letter), 22
Trout CA: see Shapiro BA
Urband R: Bystander or Lifesaver? (editorial), 648
Wanta G: Ollie Oxygen and the CO_2 Machine or A Short Course on the Ins and Outs of Respiration, 472
Weilacher RR: Provincialism, Politics, and Challenge (editorial), 128

Weilacher RR, Hinds RD: Teaching Cardiopulmonary Resuscitation in a Community Hospital, 544
Weiner S: see Kelsen SG
Wilcox D: Modified Oxygen-Delivery Equipment for Collins Spirometer, 296
Wiles TS: Why Hire the "Handicapped?" (letter), 256
Williams TJ: Unnecessary Fear (points of view), 105
Williams TJ, Sanders OJ: Another Adaptation of the Bennett Cascade Humidifier to the Ohio 560 Ventilator, 431
Willich W: see Radford R
Wrigley FRH: Hazard with **bird**-PEEP Modification (letter), 654
Yanda RL: Quality Control of IPPB Therapy: A Baseline Study, 33
Ziecheck HD, Nurick H, Fadale V: A Method for Increased Inspired Oxygen Concentration with the Hope Resuscitator, 409
Ziment I: Why Are They Saying Bad Things About IPPB? 677
Zwagil LW, Metzerott KO: Mechanical Ventilation Compromised by Misplacement of Nasogastric Tube: Report of an Unusual Incident, 60

Titles

Accidental Pulmonary Lavage, Toben BP, 175
Air For Living, King JG, 160
Air Necessary For the Life of Animals, 184
Alphabet Soup (editorial), Petty TL, 10
Another Adaptation of the Bennett Cascade Humidifier to the Ohio 560 Ventilator, Williams TJ, Sanders OJ, 431
Another Unit Dose System (letter), Thomas LS, 660
Annual Meeting Section, 494
Automatic Fluid-level Modification for **bird** 500-cc Nebulizer, Lehmus JA, 55
The Bed and the Breath, Lagerson J, 190
Better Breathing for All, Lagerson J, 72
bird Respirator Modification for Positive End Expiratory Pressure, London TR, 179
Buyers' Guide, 746
Bystander or Lifesaver? (editorial), Urband R, 648
Case Study: Postoperative Ventilatory Failure, Shapiro BA, Harrison RA, Trout CA, 570
Changing Asthma Mortality in Australia (letter), Gandevia B, 24
Competence is the Best Qualification (letter), Hall DR, 656
Compilation of Contract Service Companies List (letter), Livingston JP, 143
A Complete Patient and Equipment Status System for a Respiratory Therapy Service, Donn R, McCormack RJ, 415
Computer Science in Patient Management: A Brief Report, Accurso JA, 52
Consumer Reports (letter), Eggleston R, 402
Control of Inspired Oxygen Concentration and Addition of PEEP or CPAP with the Bourns Pediatric Ventilator, Spearman CB, 405
The Cough—Its Effectiveness Depends on You, Lagerson J, 434
CPR Instructors for the Community (letter), Sluman R, 143
Criticism of Blood Gas Interpretation Article (letter), Sheely RD, 396
Deadspace and A-E CO_2 Gradients (letter) Rich GT, 390
Deadspace Role in End-tidal CO_2 Monitoring (letter), Rogers E, 25
Determining Alveolar Oxygen Tension (letter), Kelsen SG, Weiner S, 658
Disconnect-Alarm Modification of Bennett MA-1 Respirator, Gardiner WR, 167
Early Recognition and Treatment of the Adult Respiratory Distress Syndrome: A Case Report, Deitch JG, Gulde RE, 286
Education—A Fresh Look (editorial), Bryan C, 380
Effect of Line Voltage Changes on Cycling Rate of Emerson 3-PV Ventilators, Harris TM, Richards WJ, Accurso J, 690

Effects of the "Measuror" Upon the "Measuree" (letter), Rogers E, 394
Ethics and Professional Adjustments (editorial), Allen JS, 376
Ethylene Oxide Sterilization— A Help or Hazard in Hospitals (editorial), 136
Evaluation of a Disposable Volume Ventilator Circuit, Porter PA, 165
Experiment in Respiration, 1854, 186
A Faculty for work (editorial), Kittredge P, 650
FDA Cylinder Procedures (letter), Livingston JP, 656
Fundamentals of Blood Gas Interpretation, Demers RR, Saklad M, 153
Galvanic Experiments on the Dead Body of a Criminal (1854), 298
Good Management Starts with Yourself, Alvarez FE, 555
Hazard with **bird**-PEEP Modification (letter), Wrigley FRH, 654
Health Agencies Should Read It (letter), Greene JBR, 20
Helium-Oxygen Therapy (answering service), Motley HL, 668
An Introduction to Chest Radiology, Miller WT, 304
IPPB—The Pressure is Building (editorial), Kittredge P, 644
JRCITE Affairs, Helmholz HF, 590
Keeping the Dump Dry (letter), Scanlan C, Clark DW, 26
Let Other Departments Share the Work (points of view), Eggleston R, 222
Licensure—Boon or Bust for the Allied Health Professions? Dolan GK, 44
A Life-Saving Mission for the Attache Case, Scott BJ, DeWitt M, 57
Likes the New Look (letter), Bailey F, 256
The Lung in Relation to Hormones, Said SI, 722
Malfunction of a Tracheoflex Tracheostomy Tube, Lee H, Andree RA, 562
Management of the Adult Respiratory Distress Syndrome in a Community Hospital, Raman TK, Landsberg LS, 697
Manual Sighing During Mechanical Ventilation with PEEP (letter), Crow KC, 145
1972 Mead Johnson Fellowship Winners (letter), Nelson E, 26
Mechanical Ventilation Compromised by Misplacement of Nasogastric Tube: Report of an Unusual Incident, Zwagil LW, Metzerott KO, 60
A Method for Increased Inspired Oxygen Concentration with the Hope Resuscitator, Ziecheck HD, Nurick H, Fadale V, 409
Michigan Airway (letter), Rawlinson JW, 22
Modification of the Ohio 560 Ventilator for Neonatal Support, Dombach JS, Glick RM, 558
Modification of Ventilator Circuit to Permit Bronchoscopy During Mechanical Ventilation, Cockerham CV, Awe RJ, 426
Modification To Prevent Deactivation of Bennett Spirometer Alarm System During Mechanical Ventilation, Altman P, Pumphrey D, Bailey WC, 294
Modified Oxygen-Delivery Equipment for Collins Spirometer, Wilcox D, 296
Modifying the Monaghan 701 "On Guard" Monitor for PEEP, Pulliam JM, 564
Move Up to Group III (points of view), Kielar S, 105
Mounting Bracket for Biomarine 202R Oxygen Analyzer, Gardiner WR, 54
Mr Demers Replies (letter), Demers RR, 400
Mr Mullen Replies (letter), Mullen AF, 24
Mucociliary Transport in the Isolated Trachea, Radford R, Billingsley JG, Willich W, Hill WJ, 541
Near Drowning Treated with PEEP: A Case Report, Marro J, Marino P, 706
New Apparatus for Continuous Positive Pressure Breathing: Preliminary Report, Barach AL, Smith W, 40
A New Combination Resuscitator-CPPB Device for Infants, Rich GT, 277
New Device to Secure Endotracheal Tubes, Jones G, 171
A New Method of Weaning from Respirator Support, Luedke J, Kosmatka A, 561
No More Poems, Please (letter), Olson BL, 662
No References Required (letter), 530
A Noninvasive Method for Measuring Newborn Respiration, Barrow RE, Colgan FJ, 412
Ollie Oxygen and the CO_2 Machine or A Short Course on the Ins and Outs of Respiration, Wanta G, 472
Open Forum Abstracts, 738
Oxygen Analyzer Mount for Incubators (letter), Niswander M, 536
Oxygen Electrode Safety Retainer for Mechanical Ventilators, Pincus S, Gomez L, Arensman D, 708

Oxygen Toxicity, Pierce AK, 612
Prestretched Cuffs on Intratracheal Tubes (letter) Chadwick DA, 384
A Protocol for Teaching and Maintaining Arterial Puncture Skills Among Respiratory Therapists, Felkner D, 700
Provincialism, Politics, and Challenge (editorial), Weilacher RR, 128
Pulmonary Structure as Related to Its Function, Staub NC, 346
Quality Control of IPPB Therapy: A Baseline Study, Yanda RL, 33
A Quiz on Alveolar Ventilation, Barnes TA, 28
A Quiz on Ethylene Oxide Sterilization, Becker KO, Cicman JH, 460
A Quiz on Oxygen Percentage Controlling Devices, Spearman CB, 262
A Quiz on Regulation of Respiration, Barnes TA, 147
A Quiz on Volume Ventilators, Spearman CB, 584
Recommendations for Safe Use of Ethylene Oxide Sterilization of Devices and Equipment in Hospitals (statement), ANSI Z79 ETO Committee, 181
Rehabilitation of Patients with Disabling Chronic Pulmonary Diseases (General Principles), Segal MS, 269
Relationships with Cystic Fibrosis Patients, Kay E, 84
Report on 1973 Educational Forum, Bryan CD, 594
Respiratory Stimulants: Review of the Literature and Assessment of Current Status, Pierson DJ, 549
Respiratory Therapy Formal Education Programs (listing), 330
A Respiratory Therapy Record System, Goodpasture J, 48
Responsibility Not Transferable (letter), MacDonald DW, 654
Scientific Method (points of view), Osler W, 223
Scratch Self-Sacrifice and Service to the Sick (letter), Broadhurst J, 402
Scurvy Treatment in 1747, 68
Selecting Respiratory Therapy Personnel, Feely WJ, Saucier JE Jr, 168
A Set of Figures, a Jar of Water, a Pile of Salt (points of view), 712
Short-Circuit Hazard in Bennett MA-1 Ventilators, Herbert WJ III, Slattery LT, 173
A Simple Compressed Gas System for Ambulatory Oxygen, Petty TL, Carpenter V, Nett LM, 281
Simple Procedure for Ventilation/Perfusion Studies Using Xenon-133, Campbell RL, Herrera N, 692
A Single Nasal Prong for Continuous Oxygen Therapy, Petty TL, Nett LM, Lakshminarayan S, 421
Solving Heater-Switch Malfunction in Bennett Cascade Humidifiers, Hursey FX, 59
Specialized Radiographic Examinations, Miller WT, 452
Stick to the Essentials (letter), Hampp DW, 260
A Study and a Written Plan as Management Tools, Engel J, 291
A Supportive Flange for the Nelson Tracheostomy Button, Hansen KT, 177
Teaching Cardiopulmonary Resuscitation in a Community Hospital, Weilacher RR, Hinds RD, 544
Throwing the Baby Out with the Bathwater? (editorial), Roberts RB, 248
Toben & Saposnick Grant Reprint Permission (letter), Toben B, Saposnick A, 22
Too Much Packaging (letter), Cross AS, 534
Toys—Another Oxygen Fire Hazard (letter), Jankowski R, 22
Transfilling of Cylinders (letter), Cosgrove CA, 528
Two Errors in Tracheostomy Care, Bageant RA, Hunt WB Jr, 292
Unit Dose: A Possible Answer to Contamination Risk in IPPB Nebulizer Solutions, Boyd SG, 428
Unnecessary Fear (points of view), Williams TJ, 105
Use of a Full-Face Diving Mask for Pulmonary Function Testing, Beyerl D, 284
Veterinary Respiratory Care (letter), Burns TG, 143
Videotaping of Mock Oral Examinations, Cicman JH, 289
What Is the ARIT Up To? (letter), Bryan CD, 20
What Is Professionalism? (points of view), Saposnick AB, 222
A Whistle Communication Device for Immobilized Mute Patients, Ryan JF, 424
Who Is "Unqualified?" (letter), Hall DR, 528
Why Are They Saying Bad Things About IPPB? Ziment I, 677
Why Hire the "Handicapped?" (letter), Wiles TS, 256
X-Rayted Case Report#1, Miller WT, 588
X-Rayted Case Report#2, Miller WT, 720